CUMULATIVE AUTHOR INDEX
Journal of Medical Entomology
Volume 47, 2010

A

Abad-Franch, F., 121
Abbey-Lee, R. N., 451
Acayo, S., 842
Acevedo, G. R., 1077
Acevedo, V., 1185
Achee, N. L., 833, 1092
Adak, T., 1220
Adamou, A., 769
Adams, M. F., 1123
Afify, A., 1011
Agrawal, N., 1220
Aguiar-Coelho, V. M., 487
Ahmed, S. B., 74
Ahn, Y.-J., 387, 575
Akratanakul, P., 791, 823
Albieri, A., 1082
Aldemir, A., 22
Aldrich, J. R., 140
Alfred, J. T., 536
Alfred, T. B., 618
Allan, S. A., 1099, 1107
Alonso, F., 473, 477
Alphey, L., 1092
Alten, B., 22
Alto, B., 1011
Amador, M., 1185
Amelotti, I., 1135
Andrade Filho J. D., 16, 972, 1212
Andreadis, T. G., 43
Antonjaya, U., 1173
Arias, M. S., 477
Ariey, F., 355
Arlian, L. G., 877
Arzika, I., 355
Atiku, L. A., 842
Aulicky, R., 1062

B

Babi, N., 842
Badu, K., 28
Baker, E., 1238
Bakonyi, T., 466
Balestrino, F., 581, 1082
Baliraine, F. N., 144
Ball, T. S., 649, 657
Bangs, M. J., 823, 833
Barbalho, M.G.M., 487
Barbara, K. A., 1173
Barbian, K. D., 376
Barker, C. M., 230, 759, 939
Barnard, D. R., 778
Barrera, R., 1185, 1231
Bartholomay, L. C., 421
Becker, M. E., 269
Becnel, J. J., 172, 249, 367, 1053
Bedir, H., 22
Beech, C., 1092
Beketov, M. A., 129
Belevich, O. E., 129
Bellini, R., 179, 581, 1082
Benante, J. P., 699
Bendele, K. G., 855
Bennett, K. E., 884
Bergo, E. S., 504
Bernier, U. R., 172, 924, 1179
Beveroth, T. A., 451
Bharadwaj, A., 862
Bhatnagar, R. K., 1220
Birkett, M. A., 798
Biswaro, L., 274
Bitton, S., 319
Björk, L., 400
Black, W. C., 392
Blair, P. J., 1173
Boatright, S. A., 917
Boelaert, M., 283, 902
Bogreau, H., 355
Booth, W., 553
Borchert, J. N., 842
Borges, E. C., 1212
Bouyer, J., 543
Bowers, D. F., 215
Brisse, S., 355
Brogan, R., 677
Brown, C. R., 436
Brumfield, R. T., 238
Buckley, F. G., 1019
Buckley, P. A., 1019
Bugoro, H., 851
Burke, R. L., 1231
Burkett-Cadena, N. D., 977
Burkot, T. R., 634
Burniston, I., 902
Butafa, C., 851

C

Cabán, B., 1185
Cai, H.-X., 868
Calvitti, M., 179, 581, 1082
Calvo, E., 376
Cameron, E. C., 527
Cameron, M. M., 798, 902
Candini, G., 581
Carlson, J. O., 392
Carrieri, M., 581, 1082
Carroll, B., 230
Carroll, J. F., 699
Carvalho, G.M.L., 972
Castellaw, A. H., 473
Catalá, S. S., 1034, 1135
Célia, M.F.G., 972
Chae, J.-S., 1227
Chambers, E. W., 634
Chareonviriyaphap, T., 791, 823, 833
Chaudhury, M. F., 349
Chauhan, K. R., 140, 199, 833
Chaves, L. F., 291
Chelbi, I., 74
Chen, C. C., 495
Chen, J., 1053
Chenney, E. F., 473
Cherni, S., 74
Cheronis, N., 939
Choi, H.-Y., 387
Chong, S. T., 1227
Christensen, B. M., 421, 495
Ciarlo, T., 677
Claborn, D. M., 1231
Clark, G. G., 172, 249, 367, 924, 1053, 1099
Clark, J. M., 387, 592
Clark, L., 897
Cohen, S. B., 415
Cooper, R. D., 851
Cooperband, M. F., 1099
Coosemans, M., 283, 902
Cortiñas, F. J., 477
Córdoba-Aguilar, A., 111
Coutinho-Abreu, I. V., 1146
Crissman, J. R., 553
Crowder, C. D., 89, 1238
Cui, Y.-B., 868
Cupp, E. W., 610
Cupp, M. S., 610
Czeher, C., 355

D

da Silva, M. A., 1243
da Silva e Souza, D., 1243
Dacal, V., 477
Dang, X. L., 1141
Dangles, O., 80
Dantas-Torres, F., 1238
Dao, A., 769
Das, M. L., 283, 902
Das, M., 902
Das, P., 283
Davies, C., 283, 902
Davies, S. J., 952
De Boer, H., 400
De Liberato, C., 313
De Senna, M. B., 1238
Dejean, S. K., 269
Demirci, B., 22
Derbali, M., 74
DeRussy, B. M., 451

Diallo, M., 769
Diancourt, L., 355
Díaz, A., 1185
Dida, G. O., 783
Díez-Baños, P., 477
Dinesh, D. S., 283
Disbury, M., 600
Dobchev, D. A., 924
Dobson, S. L., 179
Doherty, P., 897
Domingue, M. J., 140
Dong, Y.-D., 788
dos Santos, C.L.S., 504
Duchemin, J.-B., 355
Dunlap, B. G., 415
Dunn, J. R., 415
Duvallet, G., 791

E

Ecker, D. J., 89
Edith, I.-S., 618
Edwards, A. C., 890
Edwards, H., 1238
Eisele, T. P., 1156
Eisen, L., 939
Eisen, R. J., 842
Eldridge, B. F., 759
Elejalde, N. M., 924
El-Hossary, S. S., 1179
Elias, S. P., 695
Elshahed, M. S., 258
Emery, M. P., 269
Enscore, R. E., 842
Erban, T., 1062
Eshoo, M. W., 89
Estep, L. K., 977
Ester, 1173

F

Falcão, A. L., 972
Falqueto, A., 16
Fang, Y., 230
Faria, L. M., 487
Farina, F., 313
Farzeli, A., 1173
Favreau, A. J., 376
Fawaz, E. Y., 1179
Federici, B. A., 814
Feldlaufer, M. F., 140, 199
Ferraz, A.C.P., 487
Ferreira, D.R.A., 1243
Flores, D. C., 504
Florin, D. A., 952
Foil, L. D., 205, 238, 269, 625, 664, 855 1028
Fonseca, A. L., 1212
Fonseca, D. M., 527
Foster, P. G., 504
Frances, S. P., 851
Francisco, I., 477
Freye, J. D., 415
Friedman, L. S., 907
Fuchs, J. F., 421
Furman, B. D., 1179

G

Gadelha, B. Q., 487
Gage, K. L., 842
Ganesan, K., 329
Gao, C.-X., 868
Garner, S. P., 1028
Garvin, M. C., 451
Gaugler, R., 1011
Geier, M., 1116
George, S., 600
Germano, M. D., 1077
Gern, L., 1196
Gerry, A. C., 106
Ginsberg, H. S., 1019
Girard, Y. A., 421
Githure, J., 144
Goddard, J., 473
Godoy, W.A.C., 690
Godsey, M., 805
Golden, F. V., 1099
González, A., 106
Gorla, D. E., 1135
Grieco, J. P., 833, 1092
Grijalva, M. J., 80, 1034
Guerrero, F. D., 855
Guerrini, L., 543
Guo, X.-X., 788

H

Hale, K., 1205
Hall, C. D., 924
Halouzka, J., 466
Halverson, J., 89
Hamao, S., 442
Hamer, S. A., 1238
Hanafi, H. A., 1179
Happ, G. M., 639
Harbison, J. E., 67
Hardstone, M. C., 188
Harrington, L. C., 188
Heinz, R. E., 890
Heise, S. R., 258
Helmy, H., 421
Hendricks, S. A., 727
Henry, B., 99
Herrmann, C., 1196
Hickling, G. J., 1238
Hieu, T. T., 575
Higa, Y., 442
Higgs, S., 421
Higley, L. G., 482
Hill, G. E., 977
Hisai, N., 442
Hoel, D. F., 1179
Hogsette, J. A., 1179
Holder, P., 600
Holland, J. D., 458
Hoshino, K., 442
How, Y.-F., 305, 987
Hryhorczuk, D., 907
Hu, R., 67
Huang, X., 188
Huang, Y. D., 1141
Hubálek, Z., 466
Hubert, J., 1062
Hueffer, K., 639
Hugo, L. E., 1044
Hunsperger, E. A., 1185
Huntington, T. E., 482
Husseneder, C., 1028
Hutcheson, H. J., 536

I

Ibrahim, I. N., 1173
Ilango, K., 1
Isawa, H., 442
Issa, N., 618
William, C. Blade, Iv, 392

J

Jacob, B., 144, 287
Jaenson, T.G.T., 400
Jambulingam, P., 299, 743
James, M. A., 1156
Jany, W., 1099
Jiang, S.-F., 788
Jin, X., 1053
Johnson, G., 1205
Jones, T. F., 415
José, M. C. Ribeiro, 376
Juliano, S. A., 53
Julião, G. R., 121
Juma, D., 783
Junnila, A., 63
Juřicová, Z., 466

K

Kaabi, B., 74
Kajla, M. K., 1220
Kasai, S., 442
Kassogue, Y., 769
Katritzky, A. R., 924
Kawada, H., 783
Kay, B. H., 748, 1044
Kazdová, K., 466
Kean, J. M., 600
Keating, J., 1156
Keefe, L. M., 458
Keep, L., 952
Kelly, R., 634
Kesavaraju, B., 1011
Ketchum, H. R., 707
Ketterman, A. J., 162
Khalfa, Z., 319
Killeen, G. F., 274
Kim, C.-H., 144, 287
Kim, H.-C., 527, 592, 1227
Kim, S.-I., 575
Kjaerandsen, J., 28
Klein, T. A., 592, 1227
Kline, D. L., 1179

Kluchinsky, T., 1231
Kneitel, J. M., 53
Knols, B. G. J., 338
Knox, T. B., 748
Kobayashi, M., 442
Komar, N., 436, 1205
Kongmee, M., 1092
Kothera, L., 805
Kotsyfakis, M., 376
Kramer, M., 199, 699
Kramer, W. L., 238, 625
Krizkova-Kudlikova, I., 1062
Kruppa, T., 28
Kumar, V., 283
Kuno, G., 957
Kwon, D. H., 592

L

Labbo, R., 355
Laé, G., 1092
Labruna, M. B., 913, 1243
Lacombe, E. H., 695
Lampazzi, E., 179
Lan, Q., 249
Lanz-Mendoza, H., 111
Larson, R. T., 249
Lawrence, K., 699
Lawyer, P., 952
Leal, W. S., 345
Lee, C.-Y., 305, 987
Lee, D.-Y., 592
Lee, H., 1227
Lee, S. H., 387, 592
Lee, S.-G., 575
Leelapat, P., 162
Lehmann, T., 769
Leite, A.C.R., 95
Leite, Y.L.R., 16
Leo, S.S.T., 565
Leopold, R. A., 1071
Lessa, C.S.S., 487
Lewis, M., 1231
Li, H., 421
Li, L., 868
Li, T., 1127
Liang, S., 907
Licitra, B., 634
Liess, M., 129
Linser, P. J., 215
Linthicum, K. J., 172, 367, 924, 1053
Lipnick, R., 952
Little, S. E., 258, 890
Liu, N., 1127
Lizarralde de Grosso, M. S., 1003
Lohmeyer, K. H., 699
Londono-Renteria, B. L., 1156
Lopez, J. E., 1164
Lorch, J. M., 249
Lothrop, H. D., 230
Lotspeich-Cole, L., 639
Lourenço-de-Oliveira, R., 121, 670
Lu, H., 230
Lubelczyk, C. B., 695
Luz, S.L.B., 121
Lysyk, T. J., 32, 210

M

Macaluso, K. R., 1028
Maccagnani, B., 581
Mackay, A. J., 238
MacKay, A., 1185
Magliano, A., 313
Maini, S., 581, 1082
Mak, S., 99
Malaithong, N., 823
Manonmani, A. M., 743
Marcelo, 1146
Marcili, A., 913
Margonari, C., 1212
Martins, E., 690
Martins, T. F., 1238
Marvulo, M.F.V., 1238
Mascari, T. M., 205, 664
Mathivanan, A., 743
Matthews, H. E., 89
Mayhew, G. F., 421
Mbeleyela, E., 274
McAllister, J. C., 1123
McCoy, B. N., 1164
McDowell, M. A., 1146
McFadden, A., 600
McGee, C. E., 421
McLean, R., 897
McWhorter, M. S., 451
Medici, A., 581
Meece, J. K., 238
Meinkoth, J. H., 890
Meinkoth, K. R., 890
Melo, M. N., 1212
Mertins, J. W., 536
Metzger, M. E., 67
Miller, E. A., 451
Minakawa, N., 783
Mitra, S. S., 1019
Miyagi, I., 527
Mock, D. E., 707
Modi, P., 907
Mogi, M., 527
Moncayo, A. C., 415
Montenieri, J. A., 842
Moore, A. T., 436
Moore, C. G., 939
Moore, F. R., 451
Moore, S. J., 274
Moorhouse, A. S., 536
Moreno-García, M., 111
Moretti, R., 179, 1082
Moretti, T. C., 690
Morgan, M. S., 877
Morley, V. J., 451
Moro, M. H., 458
Morrondo, P., 477
Morshed, M., 99
Motoki, M. T., 504
Mougabure Cueto, G. A., 1077
Muenworn, V., 791
Mukabana, R., 274
Mukha, D. V., 553
Mullens, B. A., 106
Muller, G. C., 778
Müller, G. C., 63
Muñoz-Jordán, J. L., 1185
Murdock, C. C., 226
Murphy, S., 287
Musani, S., 144
Mutebi, J.-P., 805
Muturi, E. J., 144, 287

N

Nachaiwieng, W., 162
Nadine, C. O., 618
Nascimento, M.F.A., 95
Navarre, C., 610
Ndiaye, E. Y., 543
Nemeth, N., 897
Nesvorna, M., 1062
Neves, J. A., 690
N'Falé, S., 618
Nguyen, Y. T., 748
Nieri-Bastos, F. A., 913
Nimmo, D., 1092
Nishiumi, I., 442
Novak, R. J., 144, 287
Nowotny, N., 466

O

Obenauer, P. J., 1179
Obermayr, U., 1116
Oesterle, P., 897
Ohba, S.-Y., 783
Okumu, F., 274
Olival, K. J., 226
Oliveira, M. E., 1212
Olson, K. E., 376
O'Neill, S. L., 1044
Orshan, L., 319
Ostlund, E. N., 269
Owen, J. C., 451
Owor, N., 842

P

Paiva, F., 670
Pålsson, K., 400
Panangala, V., 610
Panella, N., 1205
Pape, W. J., 939
Parashar, B. D., 996
Parbaripai, A., 823
Paz-Silva, A., 477
Perkins, S. L., 226
Perwitasari, D., 1173
Pham, V. M., 376
Phillipson, C. A., 89

Picado, A., 283, 902
Pickett, J. A., 798
Picollo, M. I., 1077
Picuri, J. M., 89
Pinna, M., 106
Pinter, A., 913
Pinto, I. S., 16
Polsomboon, S., 823
Pongjaroenkit, S., 162
Poolprasert, P., 823
Porretta, D., 1082
Pothikasikorn, J., 823
Prabaripai, A., 791, 833
Prakash, S., 329, 996
Prapanthadara, L.-A., 162
Pridgeon, J. W., 172, 249
Proença, B., 487
Pybus, M. J., 565

Q

Quintana, M. G., 1003

R

Raffel, S. J., 1164
Raizman, E. A., 458
Ramalho-Ortigao, 1146
Rameh-de-Albuquerque, L. C., 1238
Rand, P. W., 695
Reeves, W. K., 269
Regis, L., 345
Reichard, M. V., 890
Reisen, W. K., 230, 759
Richards, A. L., 1173
Rijal, S., 283, 902
Rinehart, J. P., 1071
Ritchie, S. R., 649, 657
Rivers, D. B., 677
Robich, R. M., 1071
Rocheleau, T. A., 421
Rodrigues, J., 1220
Rogers, M., 902
Rogier, C., 355
Romasanta, A., 477
Rombolà, P., 313
Romero, J. A., 477
Rosângela, M. R. Barbosa, 345
Rose, A., 1116
Rosen, M. E., 1238
Rotherham, I. D., 1235
Rounds, M. A., 89
Rowton, E., 952
Roy, A. F., 625
Roy, L., 902
Roychoudhury, S., 442
Rudolf, I., 466
Rueda, L. M., 1227
Ryan, P. A., 748, 1044

S

Sabatini, G. S., 913
Sagel, A., 349
Sall, B., 543
Sallum, M.A.M., 504
Salomón, O. D., 1003
Sanchez-Vargas, I., 376
Sanguinette, C. C., 1212
Santangelo, R. G., 553
Santos, C. B., 16
Sánchez-Andrade, R., 477
Saraiva, L., 1212
Sarto I Monteys, V., 106
Sasaki, T., 442
Savage, H. M., 805
Sawabe, K., 442
Scala, A., 477
Scaramozzino, P., 313
Schal, C., 553
Schlein, Y., 63
Schneider, B. S., 421
Scholl, F., 313
Schultz, G., 952
Schutzer, S. E., 89
Schwan, T. G., 1164
Scott, J. G., 188
Scott, M. C., 1238
Seck, M. T., 543
Seenivasagan, T., 329
Seong, K. M., 592
Serafim, L. R., 95
Sharma, A., 1220
Sharma, K. R., 329
Shi, W.-H., 868
Showers, J., 473
Sikes, D. S., 639
Sikutová, S., 466
Silva, R. A., 1212
Singe, M., 600
Singh, S. P., 283
Siqueira, D. B., 1238
Skelton, A. C., 798
Skoda, S. R., 349
Skoracki, M., 727
Slavov, S., 924
Smallegange, R. C., 338
Smith, J., 1185
Smith, Jr., R. P., 695
Snider, T. A., 890
Soares, P., 670
Soares, R. P., 1212
Sodiomon, S. B., 618
Sonye, G., 783
Spallucci, V., 313
Spelman, M., 677
Sperling, F.A.H., 565
Spicer, G. S., 727
Srinivasan, R., 299, 743
Stafford, III, K. C., 862, 1107
Stayback, G., 1146
Steelman, C. D., 152
Stejskal, V., 1062
Strey, O. F., 707
Suarez-Davalos, V., 80
Suárez, J. L., 477
Suchman, E. L., 392
Suh, S. J., 1227
Sukonthabhirom, S., 791
Suman, D. S., 996
Suwonkerd, W., 823, 833
Szalanski, A. L., 152
Szekely, D., 319
Szumlas, D. E., 1179

T

Takagi, M., 783
Takken, W., 338
Tanasilchayakul, S., 791
Tantawi, T. I., 491
Teel, P. D., 707
Thainchum, K., 791
Thanispong, K., 833
Theodore, St. Amand, 695
Thiemann, T., 230
Thyssen, P. J., 690
Todd, L., 610
Toloza, A. C., 1077
Toma, T., 527
Tomberlin, J. K., 917
Traore, S. F., 769
Triebenbach, A. N., 639
Trout, R. T., 152
Tsao, I. Y., 495
Tsao, J. I., 1238
Tsikolia, M., 924
Tsuda, Y., 442
Tuno, N., 28
Tuntakom, S., 791
Turell, M. J., 884

U

Unlu, I., 625
Unnasch, R. S., 977
Unnasch, T. R., 977
Urbanelli, S., 1082
Uspensky, I., 705

V

Varela-Stokes, A. S., 473
Vargo, E. L., 553
Vasconcelos, R., 345
Vasquez, J., 1185
Vassena, C. V., 1077
Veeneman, B. A., 451
Velásquez, Y., 723
Viana, L. A., 670
Vieville, G., 355
Villacís, A. G., 80, 1034
Villet, M. H., 491
Viloria, A. L., 723
Vo, M., 215
Vogl, S. J., 639
Vongsombath, C., 400
Vreysen, M.J.B., 543
Vu, N. S., 748

W
Wadsworth, M., 1146
Wagner, P.G.C., 1238
Walker, M. D., 1235
Walton, W. E., 814
Wang, Y. S., 1141
Wang, Z., 924
Ward, M. P., 451
Watany, N., 1179
Welch, J. B., 349
Wesson, D. M., 1156
Widjaya, S., 1173
Wilkerson, R. C., 527, 952
Williams, A. J., 451
Williams, K. A., 491
Williams, M., 1173
Wilson, L. C., 451
Wilson, W. C., 884
Winoto, I., 1173
Winters, A. M., 939
Wirth, M. C., 814
Wise de Valdez, M. R., 392
Wolfe, R. J., 43
Wongtrakul, J., 162
Wright, R. E., 707

X
Xavier, D. C., 1212
Xing, D., 788
Xue, R.-D., 778, 788

Y
Yang, Y.-C., 387
Yaro, A. S., 769
Yee, D. A., 53
Yocum, G. D., 1071
Yoon, K. S., 592
Young, G. R., 436
Yu, M., 868
Yu, X. Q., 1141
Yue, X., 610
Yunianto, A., 1173
Yurchenko, Y. A., 129

Z
Zanotti, A. P., 1238
Zhang, D., 610
Zhang, W. Q., 1141
Zhang, Y.-M., 788
Zhao, L., 367, 1053
Zhao, T.-Y., 788
Zhioua, E., 74
Zhou, Y., 868

CUMULATIVE KEY WORD INDEX
Journal of Medical Entomology
Volume 47, 2010

A

abundance,
  cattle, 30
  mosquitoes, 30
  seasonal activity, 30
Acari,
  ectoparasites, 727
  Picobia, 727
  quill mites, 727
  Syringophilidae, 727
acaricide,
  bifenthrin, 695
  EcoEXEMPT IC2, 695
  IPM, 695
  Ixodes scapularis, 695
actin,
  mosquito, 215
  Sindbis virus, 215
  visceral muscle, 215
active movement,
  Cimex hemipterus, 305
  movement distance, 305
  movement frequency, 305
  tropical bed bug, 305
Aedes aegypti, 111, 172, 199, 367, 387, 649, 657, 748, 833, 924, 957, 1044, 1092, 1116, 1231
  20% KBR 3023 (hydroxyethyl isobutyl piperidine carboxylate), 1116
  Aedes densonucleosis virus, 387
  age-grading, 1044
  air ventilation system, 1116
  behavioral responses, 833
  BG-Sentinel, 649, 657
  biological control, 387
  biting pressure, 199
  carboxamide, 172, 924
  contact irritancy, 1092
  CPT, 924
  DDT, 833
  dengue, 172, 649, 657
  development, 367
  emergence, 748
  environmental regulation, 1044
  female oviposition behavior, 387
  funnel trap, 1231
  gene expression, 367, 1044
  heat shock, 367
  historical review, 957
  HITSS, 833
  immune response, 111
  insecticide, 172
  laboratory strain, 957
  larvae, 367, 748
  male behavior, 1092
  mosquito bioassays, 199
  mosquito control, 172
  novel test cage, 1116
  phenotypic plasticity, 111
  productivity, 748
  pupae, 748
  quantitative genetics, 111
  quantitative structure-activity relationship, 924
  repellent test, 1116
  repellents, 924
  RIDL, 1092
  sampling, 649
  septic tanks, 1231
  source identification, 957
  spatial repellency, 1092
  statistical power, 199
  surveillance, 657
  synthetic pyrethroids, 833
  variance components, 199
  virus accumulation and dispersal, 387
Aedes albopictus, 179, 442, 581, 592, 634, 1011
  Aedes japonicus, 1011
  biosecurity response, 592
  blood meal analysis, 442
  competition, 1011
  control, 592
  Culex pipiens, 442
  cytoplasmic incompatibility, 179
  Dirofilaria immitis, 634
  genetic control, 179
  Georgia, 634
  host-feeding habit, 442
  malathion, 1011
  male longevity, 581
  modeling, 592
  pesticides, 1011
  residential area of Japan, 442
  residual fertility, 581
  sterile insect technique, 581
  surveillance trapping, 592
  transinfection, 179
  Wolbachia pipientis, 179
Aedes japonicus,
  Aedes albopictus, 1011
  competition, 1011
  malathion, 1011
  pesticides, 1011
Aedes koreicus,
  cytochrome oxidase II, 527
  ITS-D2 spacer, 527
  nicotinamide adenine dinucleotide dehydrogenase subunit 4, 527
  Ochlerotatus japonicus, 527
Aedes rossicus,
  Aedes vexans, 466
  California group viruses, 466
  Flavivirus, 466
  Orthobunyavirus, 466
Aedes vexans,
  Aedes rossicus, 466
  California group viruses, 466
  Flavivirus, 466
  Orthobunyavirus, 466
Aedes,
  bacteria, 53
  Culex, 53
  detritus, 53
  microorganisms, 53
Aedes densonucleosis virus,
  Aedes aegypti, 387
  biological control, 387
  female oviposition behavior, 387
  virus accumulation and dispersal, 387
African animal trypanosomosis,
  remote sensing, 543
  stratified sampling, 543
  tsetse, 543
  vector control, 543
age-grading,
  Aedes aegypti, 1044
  environmental regulation, 1044
  gene expression, 1044
aggregation pheromone,
  behavior, 798
  house dust mite, 798
  neryl formate, 798
agricultural practices,
  An. arabiensis, 144
  gene flow, 144
  Kenya, 144
  microsatellites, 144
air ventilation system,
  20% KBR 3023 (hydroxyethyl isobutyl piperidine carboxylate), 1116
  Aedes aegypti, 1116
  novel test cage, 1116
  repellent test, 1116

allergens,
Bla g 2, 1062
Bla g 1, 1062
cockroach, 1062
decomposition, 1062
Alligator mississippiensis,
Culex nigripalpus, 625
Culex quinquefasciatus, 625
cytochrome B, 625
mosquitoes, 625
alphavirus,
Buggy Creek virus, 436
cliff swallow, 436
Oeciacus vicarius, 436
Petrochelidon pyrrhonota, 436
Amazonia,
Anophelinae, 121
Culicidae, 121
vector ecology, 121
Amblyomma americanum, 152, 258, 473, 699, 890, 1238
12-h duration, 699
16S gene, 258
16S mitochondrial rDNA, 152
bacterial diversity, 258
Borrelia miyamotoi, 1238
Cytauxzoon felis, 890
cytauxzoonosis, 890
Dermacentor variabilis, 890
domestic cats, 890
human volunteers, 699
lone star tick, 1238
MS, 473
population genetics, 152
repellents, 699
Rickettsia, 258
tick-borne agents, 473
wild turkey, 1238
Amblyomma maculatum, 536, 707
Arizona, 536
biogeography, 536
ecology, 707
tick distribution, 536
vector, 707
zoogeography, 707
Amblyomma,
Haemaphysalis, 913
Ixodes, 913
Rickettsia, 913
ticks, 913
amphipathicity,
antimicrobial peptide, 1141
CB$\alpha\beta$ scaffold, 1141
insect defensin, 1141
Musca domestica, 1141
Anopheles albimanus,
antibodies, 1156
mosquito saliva, 1156
Anopheles arabiensis, 144, 355
agricultural practices, 144
Anopheles gambiae, 144, 355
gene flow, 144
Kenya, 144
microsatellite, 355
Niger, 355
population structure, 355
Anopheles cracens,
DDT dehydrochlorinase, 162
epsilon class, 162
omega class, 162
theta class, 162
Anopheles culicifacies,
Plasmodium vinckei petteri, 1220
prophenoloxidase, 1220
refractory, 1220
Anopheles dirus,
behavioral response, 823
DDT, 823
deltamethrin, 823
experimental hut, 823
Anopheles farauti,
mosquito repellent, 851
N,N-diethyl-3-methylbenzamide, 851
Solomon Islands, 851
Anopheles funestus entomological inoculation rate,
Anopheles gambiae s.l., 618
malaria vectors, 618
Anopheles gambiae, 274, 287, 355, 769
Anopheles arabiensis, 355
body size, 769
cost of reproduction, 769
Culex quinquefasciatus, 287
malaria, 274
mating, 769
microsatellite, 355
Niger, 355
odor dispensing methods, 274
PCR, 287
population structure, 355
predation, 287
survival, 769
synthetic lures, 274
trapping methods, 274
Anopheles gambiae s.l.,
Anopheles funestus entomological inoculation rate, 618
malaria vectors, 618
Anopheles gambiae sensu stricto,
attraction, 338
host-seeking behavior, 338
human odor, 338
olfactometer, 338
Anopheles nuneztovari,
bootstrap, 291
Culex quinquefasciatus, 291
data analysis, 291
linear mixed effects model, 291
Anophelinae,
Amazonia, 121
Culicidae, 121
vector ecology, 121
antennal phenotypes,
Chagas disease, 1034
Ecuador, 1034
Rhodnius ecuadoriensis, 1034
wing morphometry, 1034
antibodies,
Anopheles albimanus, 1156
mosquito saliva, 1156
antimicrobial peptide,
amphipathicity, 1141
CB$\alpha\beta$ scaffold, 1141
insect defensin, 1141
Musca domestica, 1141
Anura,
aquatic insect, 783
Coleoptera, 783
Hemiptera, 783
Odonata, 783
aquatic insect,
Anura, 783
Coleoptera, 783
Hemiptera, 783
Odonata, 783
Ararat Valley,
biting activity, 22
human bait, 22
mosquito, 22
arbovirus,
caiman, 670
crocodilians, 670
Hepatozoon caimani, 670
mosquitoes, 670
arbovirus surveillance,
Culex, 1185
mosquitoes, 1185
Puerto Rico, 1185
West Nile virus, 1185
Arizona,
Amblyomma maculatum, 536
biogeography, 536
tick distribution, 536
attractants,
bloodmeal, 349
Cochliomyia hominivorax, 349
oviposition stimulant, 349
attraction,
Anopheles gambiae sensu stricto, 338
host-seeking behavior, 338
human odor, 338
olfactometer, 338
attractive toxic sugar bait,
Culex pipiens, 63
fruit juice attractant, 63
mosquitoes, 63

oral insecticide, 63

B

Bacillus thuringiensis,
Cry toxins, 814
genetics, 814
mosquitoes, 814
resistance, 814
Bacillus thuringiensis variety *israelensis*,
grass infusion, 345
ovitrap, 345
skatole, 345
West Nile virus, 345
bacteria,
Aedes, 53
Culex, 53
detritus, 53
microorganisms, 53
bacterial diversity,
16S gene, 258
Amblyomma americanum, 258
Rickettsia, 258
baited trap,
BG-Sentinel trap, 1179
carbon dioxide, 1179
Mosquito Magnet Pro trap, 1179
Phlebotomus papatasi, 1179
bed bugs,
Cimex lectularius, 140
dorsal abdominal glands, 140
semiochemicals, 140
bees,
colony collapse disorder, 907
Hymenoptera stings, 907
poison center, 907
surveillance, 907
behavior,
aggregation pheromone, 798
house dust mite, 798
neryl formate, 798
behavioral response, 823, 833
Aedes aegypti, 833
Anopheles dirus, 823
DDT, 823, 833
deltamethrin, 823
experimental hut, 823
HITSS, 833
synthetic pyrethroids, 833
belowground,
best management practice, 67
Culex quinquefasciatus, 67
ovitrap, 67
stormwater, 67
best management practice,
belowground, 67
Culex quinquefasciatus, 67
ovitrap, 67
stormwater, 67
BG-Sentinel, 649, 657
Aedes aegypti, 649, 657
dengue, 649, 657
sampling, 649
surveillance, 657
BG-Sentinel trap,
baited trap, 1179
carbon dioxide, 1179
Mosquito Magnet Pro trap, 1179
Phlebotomus papatasi, 1179
bifenthrin,
acaricide, 695
EcoEXEMPT IC2, 695
IPM, 695
Ixodes scapularis, 695
binary mixtures,
essential oil, 575
natural insect repellent, 575
Stomoxys calcitrans, 575
tamanu oil, 575
biogeography,
Amblyomma maculatum, 536
Arizona, 536
tick distribution, 536
biological control, 387, 862, 1107
Aedes aegypti, 387
Aedes densonucleosis virus, 387
entomopathogen, 862, 1107
female oviposition behavior, 387
fungi, 862, 1107
Ixodes scapularis, 862, 1107
tick control, 862, 1107
virus accumulation and dispersal, 387
biomarker,
Phlebotomus papatasi, 664
sand fly, 664
sugar bait, 664
biosecurity response,
Aedes albopictus, 592
control, 592
modeling, 592
surveillance trapping, 592
bird hosts,
Ixodes scapularis, 1019
tick acquisition, 1019
biting activity,
Ararat Valley, 22
human bait, 22
mosquito, 22
biting pressure,
Aedes aegypti, 199
mosquito bioassays, 199
statistical power, 199
variance components, 199
Bla g 1,
allergens, 1062
Bla g 2, 1062
cockroach, 1062
decomposition, 1062
Bla g 2,
allergens, 1062
Bla g 1, 1062
cockroach, 1062
decomposition, 1062
Blattella germanica,
genetic diversity, 553
human-mediated dispersal, 553
metapopulation, 553
microsatellite, 553
blood,
carbohydrate, 778
longevity, 778
mosquito, 778
blood feeding,
cattle, 610
horn fly, 610
thrombostasin, 610
vaccine, 610
blood meal analysis, 442, 902
Aedes albopictus, 442
Culex pipiens, 442
host-feeding habit, 442
Leishmania donovani, 902
Phlebotomus argentipes, 902
Phlebotomus papatasi, 902
residential area of Japan, 442
sand fly, 902
bloodmeal, 226, 349
attractants, 349
Cochliomyia hominivorax, 349
deer, 226
elk, 226
feeding preference, 226
Jamestown Canyon virus, 226
oviposition stimulant, 349
bloodmeal identification,
Culex, 238
cytochrome B, 238
Louisiana, 238
seasonal host utilization, 238
blow fly,
flesh fly, 677
fly development, 677
forensic entomology, 677
heat shock proteins, 677
bluetongue, 106, 313
BTV, 313
Culicoides obsoletus, 313
Culicoides, 106
host preference, 106
Italy, 313
surveillance, 106
vector ecology, 313
vectors, 106
bluetongue virus,
Ceratopogonidae, 269
Culicoides, 269

body size,
Anopheles gambiae, 769
cost of reproduction, 769
mating, 769
survival, 769
bootstrap,
Anopheles nuneztovari, 291
Culex quinquefasciatus, 291
data analysis, 291
linear mixed effects model, 291
Borrelia burgdorferi, 99, 458
forest, 458
geographic information systems, 99
Ixodes angustus, 99
Ixodes pacificus, 99
Ixodes scapularis, 458
Lyme disease, 99
spatial analysis, 458
water surface, 458
Borrelia hermsii,
quantitative PCR, 1164
relapsing fever, 1164
ticks, 1164
Borrelia miyamotoi,
Amblyomma americanum, 1238
lone star tick, 1238
wild turkey, 1238
Borrelia,
nucleic acid extraction, 89
Powassan virus, 89
tick, 89
vector-borne disease, 89
bot fly,
Dermatobia hominis, 95
implantation, 95
larva, 95
skin, 95
botanical pediculicide,
Eucalyptus globulus, 392
Eugenia caryophyllata, 392
Pediculus humanus capitis, 392
spray formulation, 392
botanical repellents,
ethnobotany, 400
leeches, 400
mosquitoes, 400
myiasis, 400
Brazil,
Ixodidae, 1243
ticks, 1243
wildlife, 1243
BTV,
bluetongue, 313
Culicoides obsoletus, 313
Italy, 313
vector ecology, 313
Buggy Creek virus,
alphavirus, 436
cliff swallow, 436
Oeciacus vicarius, 436
Petrochelidon pyrrhonota, 436

C

caiman,
arbovirus, 670
crocodilians, 670
Hepatozoon caimani, 670
mosquitoes, 670
California, 230, 759
Culex pipiens, 759
Culex quinquefasciatus, 759
Culex tarsalis, 759
Culex, 230
diapause, 230
overwintering, 230
seasonality, 759
California group viruses,
Aedes rossicus, 466
Aedes vexans, 466
Flavivirus, 466
Orthobunyavirus, 466
Calliphoridae, 482, 491
Egypt, 491
forensic entomology, 482
Lucilia cuprina, 491
maggot debridement therapy, 491
myiasis, 491
vitellogenesis, 482
calories,
cytochrome P450 monooxygenases, 188
fitness cost, 188
insecticide resistance, 188
nutritional resources, 188
carbohydrate,
blood, 778
longevity, 778
mosquito, 778
carbon dioxide,
baited trap, 1179
BG-Sentinel trap, 1179
Mosquito Magnet Pro trap, 1179
Phlebotomus papatasi, 1179
carboxamide, 172, 924
Aedes aegypti, 172, 924
CPT, 924
dengue, 172
insecticide, 172
mosquito control, 172
quantitative structure-activity relationship, 924
repellents, 924
carvacrol,
mode of action, 1123
mosquitoes, 1123
nookatone, 1123
thymoquinone, 1123
cat fleas,
Ctenocephalides felis, 1028
genetic marker, 1028
inbreeding, 1028
cattle, 30, 208, 610
abundance, 30
blood feeding, 610
heritability, 208
horn fly, 610
mosquitoes, 30
seasonal activity, 30
thrombostasin, 610
tick paralysis, 208
vaccine, 610
virulence, 208
Ceratopogonidae,
bluetongue virus, 269
Culicoides, 269
Chagas disease, 80, 1034
antennal phenotypes, 1034
Ecuador, 80, 1034
random sampling, 80
Rhodnius ecuadoriensis, 1034
sylvatic habitat, 80
triatomine ecology, 80
wing morphometry, 1034
Chagas disease control,
pyrethroids, 1135
Triatoma infestans, 1135
chemotherapy evaluation,
oceanic climate, 477
ovine oestrosis, 477
seroprevalence, 477
Cimex hemipterus, 305, 987
active movement, 305
humidity, 987
movement distance, 305
movement frequency, 305
survival, 987
temperature, 987
tropical bed bug, 305
water loss, 987
Cimex lectularius, 140, 600
bed bugs, 140
dorsal abdominal glands, 140
filter paper contact vial bioassay, 600
pyrethroid resistance, 600
quantitative sequencing, 600
semiochemicals, 140
sodium channel mutation, 600
cliff swallow, 436, 897
alphavirus, 436
Buggy Creek virus, 436
Oeciacus vicarius, 436, 897
Petrochelidon pyrrhonota, 436, 897
swallow bug, 897
West Nile virus, 897

climate change,
Ixodes ricinus, 1196
Lyme disease, 1196
Switzerland, 1196
tick survival, 1196
cloning,
Der f 7, 868
Dermatophagoides farinae, 868
gene expression, 868
recombinant allergen, 868
Cochliomyia hominivorax,
attractants, 349
bloodmeal, 349
oviposition stimulant, 349
cockroach,
allergens, 1062
Bla g 2, 1062
Bla g 1, 1062
decomposition, 1062
COI,
eggs, 504
male genitalia, 504
scanning electron microscope, 504
white gene, 504
cold storage,
Culex pipiens, 1071
fecundity, 1071
northern house mosquito, 1071
Coleoptera,
Anura, 783
aquatic insect, 783
Hemiptera, 783
Odonata, 783
colony collapse disorder,
bees, 907
Hymenoptera stings, 907
poison center, 907
surveillance, 907
Colorado,
Culex, 939
irrigated agriculture, 939
mosquito larval habitat, 939
West Nile virus disease, 939
common swift,
host–parasite system, 1235
parasite, 1235
community structure,
conservation, 129
Culicidae, 129
mosquito control, 129
taxonomic richness, 129
competition,
Aedes albopictus, 1011
Aedes japonicus, 1011
malathion, 1011
pesticides, 1011
conservation,
community structure, 129
Culicidae, 129
mosquito control, 129
taxonomic richness, 129
contact irritancy,
Aedes aegypti, 1092
male behavior, 1092
RIDL, 1092
spatial repellency, 1092
control,
Aedes albopictus, 592
biosecurity response, 592
modeling, 592
surveillance trapping, 592
cost of reproduction,
Anopheles gambiae, 769
body size, 769
mating, 769
survival, 769
crocodilians,
arbovirus, 670
caiman, 670
Hepatozoon caimani, 670
mosquitoes, 670
Cry toxins,
Bacillus thuringiensis, 814
genetics, 814
mosquitoes, 814
resistance, 814
cryptic species,
Dermacentor albipictus, 565
DNA barcoding, 565
integrative taxonomy, 565
CBαβ scaffold,
amphipathicity, 1141
antimicrobial peptide, 1141
insect defensin, 1141
Musca domestica, 1141
Ctenocephalides felis,
cat fleas, 1028
genetic marker, 1028
inbreeding, 1028
Culex erraticus,
eastern equine encephalitis, 977
GIS-based modeling, 977
insect dispersal, 977
larval habitat, 977
Culex nigripalpus,
Alligator mississippiensis, 625
Culex quinquefasciatus, 625
cytochrome B, 625
mosquitoes, 625
Culex pipiens, 63, 442, 759, 805, 1071
Aedes albopictus, 442
attractive toxic sugar bait, 63
blood meal analysis, 442
California, 759
cold storage, 1071
Culex pipiens form molestus, 805
Culex quinquefasciatus, 759
Culex tarsalis, 759
fecundity, 1071
fruit juice attractant, 63
genetic structure, 805
host-feeding habit, 442
microsatellites, 805
mosquitoes, 63
northern house mosquito, 1071
oral insecticide, 63
population genetics, 805
residential area of Japan, 442
seasonality, 759
Culex pipiens form molestus,
Culex pipiens, 805
genetic structure, 805
microsatellites, 805
population genetics, 805
Culex quinquefasciatus, 67, 287, 291, 421, 625, 759, 996, 1053, 1127
Alligator mississippiensis, 625
Anopheles gambiae, 287
Anopheles nuneztovari, 291
belowground, 67
best management practice, 67
bootstrap, 291
California, 759
Culex nigripalpus, 625
Culex pipiens, 759
Culex tarsalis, 759
cytochrome B, 625
data analysis, 291
emergence inhibition, 996
gene transcription, 1053
genetics, 1127
IGRs, 996
inheritance model, 1127
life table attributes, 996
linear mixed effects model, 291
magnesium, 1053
microarray, 421
mosquitoes, 625
ovitrap, 67
PCR, 287
permethrin resistance, 1127
predation, 287
salivary glands, 421
seasonality, 759
stormwater, 67
sublethal dose, 996
suppression subtractive hybridization, 1053
transcription, 421
West Nile virus, 421
Culex tarsalis,
California, 759
Culex pipiens, 759
Culex quinquefasciatus, 759
seasonality, 759

Culex, 53, 230, 238, 788, 939, 1185
Aedes, 53
arbovirus surveillance, 1185
bacteria, 53
bloodmeal identification, 238
California, 230
Colorado, 939
cytochrome B, 238
detritus, 53
diapause, 230
infection, 788
irrigated agriculture, 939
Louisiana, 238
microorganisms, 53
mosquito larval habitat, 939
mosquitoes, 1185
overwintering, 230
Puerto Rico, 1185
seasonal host utilization, 238
transmission, 788
West Nile virus, 788, 1185
West Nile virus disease, 939
Culicidae, 121, 129
Amazonia, 121
Anophelinae, 121
community structure, 129
conservation, 129
mosquito control, 129
taxonomic richness, 129
vector ecology, 121
Culicoides obsoletus,
bluetongue, 313
BTV, 313
Italy, 313
vector ecology, 313
Culicoides, 106, 269
bluetongue, 106
bluetongue virus, 269
Ceratopogonidae, 269
host preference, 106
surveillance, 106
vectors, 106
Cytauxzoon felis,
Amblyomma americanum, 890
cytauxzoonosis, 890
Dermacentor variabilis, 890
domestic cats, 890
cytauxzoonosis,
Amblyomma americanum, 890
Cytauxzoon felis, 890
Dermacentor variabilis, 890
domestic cats, 890
cytochrome B, 238, 625
Alligator mississippiensis, 625
bloodmeal identification, 238
Culex nigripalpus, 625
Culex quinquefasciatus, 625
Culex, 238
Louisiana, 238
mosquitoes, 625
seasonal host utilization, 238
cytochrome oxidase II,
Aedes koreicus, 527
ITS-D2 spacer, 527
nicotinamide adenine dinucleotide dehydrogenase subunit 4, 527
Ochlerotatus japonicus, 527
cytochrome P450 monooxygenases,
calories, 188
fitness cost, 188
insecticide resistance, 188
nutritional resources, 188
cytoplasmic incompatibility,
Aedes albopictus, 179
genetic control, 179
transinfection, 179
Wolbachia pipientis, 179

D

data analysis,
Anopheles nuneztovari, 291
bootstrap, 291
Culex quinquefasciatus, 291
linear mixed effects model, 291
DDT, 823, 833
Aedes aegypti, 833
Anopheles dirus, 823
behavioral response, 823
behavioral responses, 833
deltamethrin, 823
experimental hut, 823
HITSS, 833
synthetic pyrethroids, 833
DDT dehydrochlorinase,
Anopheles cracens, 162
epsilon class, 162
omega class, 162
theta class, 162
decomposition,
allergens, 1062
Bla g 2, 1062
Bla g 1, 1062
cockroach, 1062
deer,
bloodmeal, 226
elk, 226
feeding preference, 226
Jamestown Canyon virus, 226
deltamethrin, 823, 1077
Anopheles dirus, 823
behavioral response, 823
DDT, 823
experimental hut, 823
fipronil, 1077
Gran Chaco, 1077
resistance, 1077
Triatoma infestans, 1077
dengue, 172, 649, 657
Aedes aegypti, 172, 649, 657
BG-Sentinel, 649, 657
carboxamide, 172
insecticide, 172
mosquito control, 172
sampling, 649
surveillance, 657
Der f 7,
cloning, 868
Dermatophagoides farinae, 868
gene expression, 868
recombinant allergen, 868
Dermacentor albipictus,
cryptic species, 565
DNA barcoding, 565
integrative taxonomy, 565
Dermacentor variabilis,
Amblyomma americanum, 890
Cytauxzoon felis, 890
cytauxzoonosis, 890
domestic cats, 890
Dermatobia hominis,
bot fly, 95
implantation, 95
larva, 95
skin, 95
Dermatophagoides farinae,
cloning, 868
Der f 7, 868
gene expression, 868
recombinant allergen, 868
detection, 639, 1205
Francisella, 639
mosquito, 639
pelicans, 1205
Stomoxys, 1205
transmission, 639
West Nile virus, 1205
detoxification enzymes,
larvicide, 249
mangostin, 249
mosquitoes, 249
sterol carrier protein-2, 249
detritus,
Aedes, 53
bacteria, 53
Culex, 53
microorganisms, 53
development,
Aedes aegypti, 367
gene expression, 367
heat shock, 367
larvae, 367
diapause,
California, 230
Culex, 230
overwintering, 230
Diptera,
identification keys, 299
Psychodidae, 299

sand fly, 299
Sergentomyia pondicherriensis, 299
dipteran larvae,
parasitic disease, 487
pediculosis, 487
Dirofilaria immitis,
Aedes albopictus, 634
Georgia, 634
discriminating dose,
Haematobia irritans, 855
organophosphate, 855
PCR, 855
pyrethroid resistance, 855
dispersal and survival,
fluorescent pigment, 1082
mark-release-recapture, 1082
sterile insect technique, 1082
Wolbachia, 1082
distribution,
seasonal and diurnal activity, 791
Stomoxys spp., 791
Thailand, 791
Vavoua traps, 791
DNA barcoding,
cryptic species, 565
Dermacentor albipictus, 565
integrative taxonomy, 565
domestic cats,
Amblyomma americanum, 890
Cytauxzoon felis, 890
cytauxzoonosis, 890
Dermacentor variabilis, 890
dorsal abdominal glands,
bed bugs, 140
Cimex lectularius, 140
semiochemicals, 140
double-stranded RNA interference,
mosquito, 495
prophenoloxidase, 495
ultrastructure, 495
Dumetella carolinensis,
migration, 451
overwintering, 451
testosterone, 451
West Nile virus, 451

E

eastern equine encephalitis,
Culex erraticus, 977
GIS-based modeling, 977
insect dispersal, 977
larval habitat, 977
EcoEXEMPT IC2,
acaricide, 695
bifenthrin, 695
IPM, 695
Ixodes scapularis, 695
ecology,
Amblyomma maculatum, 707
vector, 707
zoogeography, 707
ecosystems interface,
landscape modification, 1003
Lutzomyia neivai, 1003
meteorological variables, 1003
ectoparasites,
Acari, 727
Picobia, 727
quill mites, 727
Syringophilidae, 727
Ecuador, 80, 1034
antennal phenotypes, 1034
Chagas disease, 80, 1034
random sampling, 80
Rhodnius ecuadoriensis, 1034
sylvatic habitat, 80
triatomine ecology, 80
wing morphometry, 1034
effervescent tablet,
electroantennogram, 329
fatty acid ester, 329
long range olfaction, 329
residual oviposition repellency, 329
eggs,
COI, 504
male genitalia, 504
scanning electron microscope, 504
white gene, 504
Egypt,
Calliphoridae, 491
Lucilia cuprina, 491
maggot debridement therapy, 491
myiasis, 491
electroantennogram,
effervescent tablet, 329
fatty acid ester, 329
long range olfaction, 329
residual oviposition repellency, 329
elk,
bloodmeal, 226
deer, 226
feeding preference, 226
Jamestown Canyon virus, 226
emergence,
Aedes aegypti, 748
larvae, 748
productivity, 748
pupae, 748
emergence inhibition,
Culex quinquefasciatus, 996
IGRs, 996
life table attributes, 996
sublethal dose, 996
endophily,
exophily, 28
host distribution, 28
malaria vector, 28
entomopathogen, 862, 1107
biological control, 862, 1107
fungi, 862, 1107
Ixodes scapularis, 862, 1107
tick control, 862, 1107
environmental regulation,
Aedes aegypti, 1044
age-grading, 1044
gene expression, 1044
epidemiology,
Leishmania, 1212
leishmaniasis, 1212
Lutzomyia, 1212
Phlebotominae, 1212
epsilon class,
Anopheles cracens, 162
DDT dehydrochlorinase, 162
omega class, 162
theta class, 162
essential oil,
binary mixtures, 575
natural insect repellent, 575
Stomoxys calcitrans, 575
tamanu oil, 575
ethnobotany,
botanical repellents, 400
leeches, 400
mosquitoes, 400
myiasis, 400
Eucalyptus globulus,
botanical pediculicide, 392
Eugenia caryophyllata, 392
Pediculus humanus capitis, 392
spray formulation, 392
Eugenia caryophyllata,
botanical pediculicide, 392
Eucalyptus globulus, 392
Pediculus humanus capitis, 392
spray formulation, 392
excitation,
mosquito behavior, 1099
pyrethroids, 1099
ultralow volume droplets, 1099
wind tunnel, 1099
exophily,
endophily, 28
host distribution, 28
malaria vector, 28
experimental hut,
Anopheles dirus, 823
behavioral response, 823
DDT, 823
deltamethrin, 823

F

fatty acid ester,
effervescent tablet, 329
electroantennogram, 329
long range olfaction, 329
residual oviposition repellency, 329
fecundity,
cold storage, 1071
Culex pipiens, 1071
northern house mosquito, 1071
feeding preference,
bloodmeal, 226
deer, 226
elk, 226
Jamestown Canyon virus, 226
female oviposition behavior,
Aedes aegypti, 387
Aedes densonucleosis virus, 387
biological control, 387
virus accumulation and dispersal, 387
filter paper contact vial bioassay,
Cimex lectularius, 600
pyrethroid resistance, 600
quantitative sequencing, 600
sodium channel mutation, 600
fipronil,
deltamethrin, 1077
Gran Chaco, 1077
resistance, 1077
Triatoma infestans, 1077
fitness cost,
calories, 188
cytochrome P450 monooxygenases, 188
insecticide resistance, 188
nutritional resources, 188
Flavivirus,
Aedes rossicus, 466
Aedes vexans, 466
California group viruses, 466
Orthobunyavirus, 466
flea control,
imidacloprid, 842
plague, 842
Rattus rattus, 842
flesh fly,
blow fly, 677
fly development, 677
forensic entomology, 677
heat shock proteins, 677
flower fly,
forensic entomology, 690
tribe Volucellini, 690
vertebrate carcass, 690
fluorescent pigment,
dispersal and survival, 1082
mark-release-recapture, 1082
sterile insect technique, 1082
Wolbachia, 1082
fly development,
blow fly, 677
flesh fly, 677
forensic entomology, 677
heat shock proteins, 677
forensic entomology, 482, 677, 690, 723, 917
blow fly, 677
Calliphoridae, 482
flesh fly, 677
flower fly, 690
fly development, 677
forensic veterinary medicine, 917
heat shock proteins, 677
instars, 723
myiasis, 917
Oxelytrum discicolle, 723
secondary screwworm, 917
tribe Volucellini, 690
Venezuela, 723
vertebrate carcass, 690
vitellogenesis, 482
forensic veterinary medicine,
forensic entomology, 917
myiasis, 917
secondary screwworm, 917
forest,
Borrelia burgdorferi, 458
Ixodes scapularis, 458
spatial analysis, 458
water surface, 458
Francisella,
detection, 639
mosquito, 639
transmission, 639
fruit juice attractant,
attractive toxic sugar bait, 63
Culex pipiens, 63
mosquitoes, 63
oral insecticide, 63
fungi, 862, 1107
biological control, 862, 1107
entomopathogen, 862, 1107
Ixodes scapularis, 862, 1107
tick control, 862, 1107
funnel trap,
Aedes aegypti, 1231
septic tanks, 1231

G

gene expression, 367, 868, 1044, 1146
Aedes aegypti, 367, 1044
age-grading, 1044
cloning, 868
Der f 7, 868
Dermatophagoides farinae, 868
development, 367
environmental regulation, 1044
heat shock, 367
larvae, 367
Phlebotomus papatasi, 1146
recombinant allergen, 868
saliva, 1146
sand fly, 1146
senescence, 1146
gene flow,
agricultural practices, 144
An. arabiensis, 144
Kenya, 144
microsatellites, 144
gene transcription,
Culex quinquefasciatus, 1053
magnesium, 1053
suppression subtractive hybridization, 1053
genetic control,
Aedes albopictus, 179
cytoplasmic incompatibility, 179
transinfection, 179
Wolbachia pipientis, 179
genetic diversity,
Blattella germanica, 553
human-mediated dispersal, 553
metapopulation, 553
microsatellite, 553
genetic marker,
cat fleas, 1028
Ctenocephalides felis, 1028
inbreeding, 1028
genetic structure,
Culex pipiens, 805
Culex pipiens form molestus, 805
microsatellites, 805
population genetics, 805
genetics, 814, 1127
Bacillus thuringiensis, 814
Cry toxins, 814
Culex quinquefasciatus, 1127
inheritance model, 1127
mosquitoes, 814
permethrin resistance, 1127
resistance, 814
genital variation and species isolation, 1, 16
phlebotomine sand fly, 1, 16
Phlebotomus argentipes complex, 1, 16
taxonomic reassessment, 1, 16
visceral leishmaniasis vector, 1, 16
geographic information systems,
Borrelia burgdorferi, 99
Ixodes angustus, 99
Ixodes pacificus, 99
Lyme disease, 99

Georgia,
Aedes albopictus, 634
Dirofilaria immitis, 634
GIS-based modeling,
Culex erraticus, 977
eastern equine encephalitis, 977
insect dispersal, 977
larval habitat, 977
gonostylus,
Lutzomyia shannoni, 952
molecular markers, 952
morphologic anomalies, 952
Gran Chaco,
deltamethrin, 1077
fipronil, 1077
resistance, 1077
Triatoma infestans, 1077
grass infusion,
Bacillus thuringiensis variety *israelensis*, 345
ovitrap, 345
skatole, 345
West Nile virus, 345

H

12-h duration,
Amblyomma americanum, 699
human volunteers, 699
repellents, 699
Haemaphysalis,
Amblyomma, 913
Ixodes, 913
Rickettsia, 913
ticks, 913
Haematobia irritans,
discriminating dose, 855
organophosphate, 855
PCR, 855
pyrethroid resistance, 855
heat shock,
Aedes aegypti, 367
development, 367
gene expression, 367
larvae, 367
heat shock proteins,
blow fly, 677
flesh fly, 677
fly development, 677
forensic entomology, 677
Hemiptera,
Anura, 783
aquatic insect, 783
Coleoptera, 783
Odonata, 783
Hepatozoon caimani,
arbovirus, 670
caiman, 670
crocodilians, 670
mosquitoes, 670
heritability,
cattle, 208
tick paralysis, 208
virulence, 208
Hippoboscidae,
Korea, 1227
Lipoptena cervi, 1227
louse fly, 1227
water deer, 1227
historical review,
Aedes aegypti, 957
laboratory strain, 957
source identification, 957
HITSS,
Aedes aegypti, 833
behavioral responses, 833
DDT, 833
synthetic pyrethroids, 833
horn fly,
blood feeding, 610
cattle, 610
thrombostasin, 610
vaccine, 610
host distribution,
endophily, 28
exophily, 28
malaria vector, 28
host preference,
bluetongue, 106
Culicoides, 106
surveillance, 106
vectors, 106
host-feeding habit,
Aedes albopictus, 442
blood meal analysis, 442
Culex pipiens, 442
residential area of Japan, 442
host-seeking behavior,
Anopheles gambiae sensu stricto, 338
attraction, 338
human odor, 338
olfactometer, 338
host–parasite system,
common swift, 1235
host–parasite system, 1235
parasite, 1235
house dust mite,
aggregation pheromone, 798
behavior, 798
neryl formate, 798
human bait,
Ararat Valley, 22
biting activity, 22
mosquito, 22
human odor,
Anopheles gambiae sensu stricto, 338
attraction, 338
host-seeking behavior, 338
olfactometer, 338
human skin equivalents,
immunomodulation, 877
interleukin-1 receptor antagonist, 877
scabies mites, 877
skin cell cytokine secretion, 877
human volunteers,
12-h duration, 699
Amblyomma americanum, 699
repellents, 699
human-mediated dispersal,
Blattella germanica, 553
genetic diversity, 553
metapopulation, 553
microsatellite, 553
humidity,
Cimex hemipterus, 987
survival, 987
temperature, 987
water loss, 987
Hymenoptera stings,
bees, 907
colony collapse disorder, 907
poison center, 907
surveillance, 907

I

identification keys,
Diptera, 299
Psychodidae, 299
sand fly, 299
Sergentomyia pondicherriensis, 299
IGRs,
Culex quinquefasciatus, 996
emergence inhibition, 996
life table attributes, 996
sublethal dose, 996
imidacloprid,
flea control, 842
plague, 842
Rattus rattus, 842
immune response,
Aedes aegypti, 111
phenotypic plasticity, 111
quantitative genetics, 111
immunomodulation,
human skin equivalents, 877
interleukin-1 receptor antagonist, 877
scabies mites, 877
skin cell cytokine secretion, 877
implantation,
bot fly, 95
Dermatobia hominis, 95
larva, 95
skin, 95

inbreeding,
cat fleas, 1028
Ctenocephalides felis, 1028
genetic marker, 1028
Indonesia,
rickettsia, 1173
small mammals, 1173
Xenopsylla cheopis, 1173
infection,
Culex, 788
transmission, 788
West Nile virus, 788
inheritance model,
Culex quinquefasciatus, 1127
genetics, 1127
permethrin resistance, 1127
insect defensin,
amphipathicity, 1141
antimicrobial peptide, 1141
CB$\alpha\beta$ scaffold, 1141
Musca domestica, 1141
insect dispersal,
Culex erraticus, 977
eastern equine encephalitis, 977
GIS-based modeling, 977
larval habitat, 977
insecticide,
Aedes aegypti, 172
carboxamide, 172
dengue, 172
mosquito control, 172
insecticide resistance,
calories, 188
cytochrome P450 monooxygenases, 188
fitness cost, 188
nutritional resources, 188
instars,
forensic entomology, 723
Oxelytrum discicolle, 723
Venezuela, 723
integrative taxonomy,
cryptic species, 565
Dermacentor albipictus, 565
DNA barcoding, 565
interleukin-1 receptor antagonist,
human skin equivalents, 877
immunomodulation, 877
scabies mites, 877
skin cell cytokine secretion, 877
interspecific competition,
Ochlerotatus atropalpus, 43
Ochlerotatus japonicus japonicus, 43
rock pools, 43
tires, 43
IPM,
acaricide, 695
bifenthrin, 695
EcoEXEMPT IC2, 695
Ixodes scapularis, 695
irrigated agriculture,
Colorado, 939
Culex, 939
mosquito larval habitat, 939
West Nile virus disease, 939
Israel,
Phlebotomus papatasi, 319
Phlebotomus sergenti, 319
sand fly ecology, 319
Italy,
bluetongue, 313
BTV, 313
Culicoides obsoletus, 313
vector ecology, 313
ITS-D2 spacer,
Aedes koreicus, 527
cytochrome oxidase II, 527
nicotinamide adenine dinucleotide dehydrogenase subunit 4, 527
Ochlerotatus japonicus, 527
Ixodes angustus,
Borrelia burgdorferi, 99
geographic information systems, 99
Ixodes pacificus, 99
Lyme disease, 99
Ixodes pacificus,
Borrelia burgdorferi, 99
geographic information systems, 99
Ixodes angustus, 99
Lyme disease, 99
Ixodes ricinus,
climate change, 1196
Lyme disease, 1196
Switzerland, 1196
tick survival, 1196
Ixodes scapularis, 458, 695, 862, 1019, 1107
acaricide, 695
bifenthrin, 695
biological control, 862, 1107
bird hosts, 1019
Borrelia burgdorferi, 458
EcoEXEMPT IC2, 695
entomopathogen, 862, 1107
forest, 458
fungi, 862, 1107
IPM, 695
spatial analysis, 458
tick acquisition, 1019
tick control, 862, 1107
water surface, 458
Ixodes,
Amblyomma, 913
Haemaphysalis, 913
Rickettsia, 913
ticks, 913
ixodid ticks,
Tennessee, 415
vector–host associations, 415
Ixodidae,
Brazil, 1243
ticks, 1243
wildlife, 1243

J

Jamestown Canyon virus,
bloodmeal, 226
deer, 226
elk, 226
feeding preference, 226

K

20% KBR 3023 (hydroxyethyl isobutyl piperidine carboxylate),
Aedes aegypti, 1116
air ventilation system, 1116
novel test cage, 1116
repellent test, 1116
Kenya,
agricultural practices, 144
An. arabiensis, 144
gene flow, 144
Microsatellites, 144
Korea,
Hippoboscidae, 1227
Lipoptena cervi, 1227
louse fly, 1227
water deer, 1227

L

La Crosse virus,
mosquito, 376
salivary gland, 376
sialome, 376
transcriptome, 376
laboratory strain,
Aedes aegypti, 957
historical review, 957
source identification, 957
landscape modification,
ecosystems interface, 1003
Lutzomyia neivai, 1003
meteorological variables, 1003
larva, 95, 367, 748
Aedes aegypti, 367, 748
bot fly, 95
Dermatobia hominis, 95
development, 367
emergence, 748
gene expression, 367
heat shock, 367
implantation, 95
productivity, 748
pupae, 748
skin, 95

larval habitat,
Culex erraticus, 977
eastern equine encephalitis, 977
GIS-based modeling, 977
insect dispersal, 977
larvicide,
detoxification enzymes, 249
mangostin, 249
mosquitoes, 249
sterol carrier protein-2, 249
leeches,
botanical repellents, 400
ethnobotany, 400
mosquitoes, 400
myiasis, 400
Leishmania,
epidemiology, 1212
leishmaniasis, 1212
Lutzomyia, 1212
Phlebotominae, 1212
Leishmania donovani,
blood meal analysis, 902
Phlebotomus argentipes, 902
Phlebotomus papatasi, 902
sand fly, 902
Leishmania major,
Phlebotomus papatasi, 74
saliva, 74
vaccine, 74
zoonotic cutaneous leishmaniasis, 74
leishmaniasis, 972, 1212
epidemiology, 1212
Leishmania, 1212
Lutzomyia, 1212
Minas Gerais, 972
Phlebotominae, 972, 1212
sand flies, 972
life table attributes,
Culex quinquefasciatus, 996
emergence inhibition, 996
IGRs, 996
sublethal dose, 996
linear mixed effects model,
Anopheles nuneztovari, 291
bootstrap, 291
Culex quinquefasciatus, 291
data analysis, 291
Lipoptena cervi,
Hippoboscidae, 1227
Korea, 1227
louse fly, 1227
water deer, 1227
lone star tick,
Amblyomma americanum, 1238
Borrelia miyamotoi, 1238
wild turkey, 1238
long range olfaction,
effervescent tablet, 329
electroantennogram, 329
fatty acid ester, 329
residual oviposition repellency, 329
longevity,
blood, 778
carbohydrate, 778
mosquito, 778
Louisiana,
bloodmeal identification, 238
Culex, 238
cytochrome B, 238
seasonal host utilization, 238
louse fly,
Hippoboscidae, 1227
Korea, 1227
Lipoptena cervi, 1227
water deer, 1227
Lucilia cuprina,
Calliphoridae, 491
Egypt, 491
maggot debridement therapy, 491
myiasis, 491
Lutzomyia,
epidemiology, 1212
Leishmania, 1212
leishmaniasis, 1212
Phlebotominae, 1212
Lutzomyia neivai,
ecosystems interface, 1003
landscape modification, 1003
meteorological variables, 1003
Lutzomyia shannoni,
gonostylus, 952
molecular markers, 952
morphologic anomalies, 952
Lyme disease, 99, 1196
Borrelia burgdorferi, 99
climate change, 1196
geographic information systems, 99
Ixodes angustus, 99
Ixodes pacificus, 99
Ixodes ricinus, 1196
Switzerland, 1196
tick survival, 1196

M

maggot debridement therapy,
Calliphoridae, 491
Egypt, 491
Lucilia cuprina, 491
myiasis, 491
magnesium,
Culex quinquefasciatus, 1053
gene transcription, 1053
suppression subtractive hybridization, 1053
malaria,
Anopheles gambiae, 274
odor dispensing methods, 274
synthetic lures, 274
trapping methods, 274
malaria vector, 28, 618
Anopheles funestus entomological inoculation rate, 618
Anopheles gambiae s.l., 618
endophily, 28
exophily, 28
host distribution, 28
malathion,
Aedes albopictus, 1011
Aedes japonicus, 1011
competition, 1011
pesticides, 1011
male behavior,
Aedes aegypti, 1092
contact irritancy, 1092
RIDL, 1092
spatial repellency, 1092
male genitalia,
COI, 504
eggs, 504
scanning electron microscope, 504
white gene, 504
male longevity,
Aedes albopictus, 581
residual fertility, 581
sterile insect technique, 581
mangostin,
detoxification enzymes, 249
larvicide, 249
mosquitoes, 249
sterol carrier protein-2, 249
mark-release-recapture,
dispersal and survival, 1082
fluorescent pigment, 1082
sterile insect technique, 1082
Wolbachia, 1082
mating,
Anopheles gambiae, 769
body size, 769
cost of reproduction, 769
survival, 769
metapopulation,
Blattella germanica, 553
genetic diversity, 553
human-mediated dispersal, 553
microsatellite, 553
meteorological variables,
ecosystems interface, 1003
landscape modification, 1003
Lutzomyia neivai, 1003
microarray,
Culex quinquefasciatus, 421
salivary glands, 421
transcription, 421
West Nile virus, 421

microorganisms,
Aedes, 53
bacteria, 53
Culex, 53
detritus, 53
microsatellite, 144, 355, 553, 805
agricultural practices, 144
Anopheles arabiensis, 144, 355
Anopheles gambiae, 355
Blattella germanica, 553
Culex pipiens, 805
Culex pipiens form molestus, 805
gene flow, 144
genetic diversity, 553
genetic structure, 805
human-mediated dispersal, 553
Kenya, 144
metapopulation, 553
Niger, 355
population structure, 355
population genetics, 805
migration,
Dumetella carolinensis, 451
overwintering, 451
testosterone, 451
West Nile virus, 451
Minas Gerais,
leishmaniasis, 972
Phlebotominae, 972
sand flies, 972
mode of action,
carvacrol, 1123
mosquitoes, 1123
nookatone, 1123
thymoquinone, 1123
modeling,
Aedes albopictus, 592
biosecurity response, 592
control, 592
surveillance trapping, 592
molecular markers,
gonostylus, 952
Lutzomyia shannoni, 952
morphologic anomalies, 952
morphologic anomalies,
gonostylus, 952
Lutzomyia shannoni, 952
molecular markers, 952
mosquito, 22, 30, 63, 215, 249, 376, 400, 495, 625, 639, , 670, 778, 814, 1123, 1185
abundance, 30
actin, 215
Alligator mississippiensis, 625
Ararat Valley, 22
arbovirus, 670
arbovirus surveillance, 1185
attractive toxic sugar bait, 63
Bacillus thuringiensis, 814
biting activity, 22
blood, 778
botanical repellents, 400
caiman, 670
carbohydrate, 778
carvacrol, 1123
cattle, 30
crocodilians, 670
Cry toxins, 814
Culex nigripalpus, 625
Culex pipiens, 63
Culex quinquefasciatus, 625
Culex, 1185
cytochrome B, 625
detection, 639
detoxification enzymes, 249
double-stranded RNA interference, 495
ethnobotany, 400
Francisella, 639
fruit juice attractant, 63
genetics, 814
Hepatozoon caimani, 670
human bait, 22
La Crosse virus, 376
larvicide, 249
leeches, 400
longevity, 778
mangostin, 249
mode of action, 1123
myiasis, 400
nookatone, 1123
oral insecticide, 63
prophenoloxidase, 495
Puerto Rico, 1185
resistance, 814
salivary gland, 376
seasonal activity, 30
sialome, 376
Sindbis virus, 215
sterol carrier protein-2, 249
thymoquinone, 1123
transcriptome, 376
transmission, 639
ultrastructure, 495
visceral muscle, 215
West Nile virus, 1185
mosquito behavior,
excitation, 1099
pyrethroids, 1099
ultralow volume droplets, 1099
wind tunnel, 1099
mosquito bioassays,
Aedes aegypti, 199
biting pressure, 199
statistical power, 199
variance components, 199
mosquito control, 129, 172
Aedes aegypti, 172
carboxamide, 172
community structure, 129
conservation, 129
Culicidae, 129
dengue, 172
insecticide, 172
taxonomic richness, 129
mosquito larval habitat,
Colorado, 939
Culex, 939
irrigated agriculture, 939
West Nile virus disease, 939
Mosquito Magnet Pro trap,
baited trap, 1179
BG-Sentinel trap, 1179
carbon dioxide, 1179
Phlebotomus papatasi, 1179
mosquito repellent,
Anopheles farauti, 851
N,N-diethyl-3-methylbenzamide, 851
Solomon Islands, 851
mosquito saliva,
Anopheles albimanus, 1156
antibodies, 1156
movement distance,
active movement, 305
Cimex hemipterus, 305
movement frequency, 305
tropical bed bug, 305
movement frequency,
active movement, 305
Cimex hemipterus, 305
movement distance, 305
tropical bed bug, 305
MS,
Amblyomma americanum, 473
tick-borne agents, 473
Musca domestica,
amphipathicity, 1141
antimicrobial peptide, 1141
CBαβ scaffold, 1141
insect defensin, 1141
myiasis, 400, 491, 917
botanical repellents, 400
Calliphoridae, 491
Egypt, 491
ethnobotany, 400
forensic entomology, 917
forensic veterinary medicine, 917
leeches, 400
Lucilia cuprina, 491
maggot debridement therapy, 491
mosquitoes, 400
secondary screwworm, 917

N

N,N-diethyl-3-methylbenzamide,
Anopheles farauti, 851
mosquito repellent, 851
Solomon Islands, 851

natural insect repellent,
binary mixtures, 575
essential oil, 575
Stomoxys calcitrans, 575
tamanu oil, 575
neryl formate,
aggregation pheromone, 798
behavior, 798
house dust mite, 798
nicotinamide adenine dinucleotide dehydrogenase subunit 4,
Aedes koreicus, 527
cytochrome oxidase II, 527
ITS-D2 spacer, 527
Ochlerotatus japonicus, 527
Niger,
Anopheles arabiensis, 355
Anopheles gambiae, 355
microsatellite, 355
population structure, 355
nookatone,
carvacrol, 1123
mode of action, 1123
mosquitoes, 1123
thymoquinone, 1123
North America,
Rift Valley fever, 884
transmission, 884
vector, 884
northern house mosquito,
cold storage, 1071
Culex pipiens, 1071
fecundity, 1071
novaluron,
Phlebotomus papatasi, 205
sand fly control, 205
novel test cage,
20% KBR 3023 (hydroxyethyl isobutyl piperidine carboxylate), 1116
Aedes aegypti, 1116
air ventilation system, 1116
repellent test, 1116
nucleic acid extraction,
Borrelia, 89
Powassan virus, 89
tick, 89
vector-borne disease, 89
nutritional resources,
calories, 188
cytochrome P450 monooxygenases, 188
fitness cost, 188
insecticide resistance, 188

O

oceanic climate,
chemotherapy evaluation, 477
ovine oestrosis, 477
seroprevalence, 477
Ochlerotatus atropalpus,
interspecific competition, 43
Ochlerotatus japonicus japonicus, 43
rock pools, 43
tires, 43
Ochlerotatus japonicus japonicus,
interspecific competition, 43
Ochlerotatus atropalpus, 43
rock pools, 43
tires, 43
Ochlerotatus japonicus,
Aedes koreicus, 527
cytochrome oxidase II, 527
ITS-D2 spacer, 527
nicotinamide adenine dinucleotide dehydrogenase subunit 4, 527
Odonata,
Anura, 783
aquatic insect, 783
Coleoptera, 783
Hemiptera, 783
odor dispensing methods,
Anopheles gambiae, 274
malaria, 274
synthetic lures, 274
trapping methods, 274
Oeciacus vicarius, 436, 897
alphavirus, 436
Buggy Creek virus, 436
cliff swallow, 436, 897
Petrochelidon pyrrhonota, 436, 897
swallow bug, 897
West Nile virus, 897
olfactometer,
Anopheles gambiae sensu stricto, 338
attraction, 338
host-seeking behavior, 338
human odor, 338
omega class,
Anopheles cracens, 162
DDT dehydrochlorinase, 162
epsilon class, 162
theta class, 162
oral insecticide,
attractive toxic sugar bait, 63
Culex pipiens, 63
fruit juice attractant, 63
mosquitoes, 63
organophosphate,
discriminating dose, 855
Haematobia irritans, 855
PCR, 855
pyrethroid resistance, 855
Orthobunyavirus,
Aedes rossicus, 466
Aedes vexans, 466
California group viruses, 466
Flavivirus, 466
overwintering, 230, 451
California, 230
Culex, 230
diapause, 230
Dumetella carolinensis, 451
migration, 451
testosterone, 451
West Nile virus, 451
ovine oestrosis,
chemotherapy evaluation, 477
oceanic climate, 477
seroprevalence, 477
oviposition stimulant,
attractants, 349
bloodmeal, 349
Cochliomyia hominivorax, 349
ovitrap, 67, 345
Bacillus thuringiensis variety *israelensis*, 345
belowground, 67
best management practice, 67
Culex quinquefasciatus, 67
grass infusion, 345
skatole, 345
stormwater, 67
West Nile virus, 345
Oxelytrum discicolle,
forensic entomology, 723
instars, 723
Venezuela, 723

P

parasite,
common swift, 1235
host–parasite system, 1235
parasitic disease,
dipteran larvae, 487
pediculosis, 487
PCR, 287, 855
Anopheles gambiae, 287
Culex quinquefasciatus, 287
discriminating dose, 855
Haematobia irritans, 855
organophosphate, 855
predation, 287
pyrethroid resistance, 855
PCR assay,
Phlebotomus argentipes, 743
Phlebotomus papatasi, 743
pediculosis,
dipteran larvae, 487
parasitic disease, 487
Pediculus humanus capitis,
botanical pediculicide, 392
Eucalyptus globulus, 392
Eugenia caryophyllata, 392
spray formulation, 392

pelicans,
detection, 1205
Stomoxys, 1205
West Nile virus, 1205
permethrin resistance,
Culex quinquefasciatus, 1127
genetics, 1127
inheritance model, 1127
pesticides,
Aedes albopictus, 1011
Aedes japonicus, 1011
competition, 1011
malathion, 1011
Petrochelidon pyrrhonota, 436, 897
alphavirus, 436
Buggy Creek virus, 436
cliff swallow, 436, 897
Oeciacus vicarius, 436, 897
swallow bug, 897
West Nile virus, 897
phenotypic plasticity,
Aedes aegypti, 111
immune response, 111
quantitative genetics, 111
Phlebotominae, 972, 1212
epidemiology, 1212
Leishmania, 1212
leishmaniasis, 972, 1212
Lutzomyia, 1212
Minas Gerais, 972
sand flies, 972
phlebotomine sand fly, 1, 16
genital variation and species isolation, 1, 16
Phlebotomus argentipes complex, 1, 16
taxonomic reassessment, 1, 16
visceral leishmaniasis vector, 1, 16
Phlebotomus argentipes, 283, 743, 902
blood meal analysis, 902
Leishmania donovani, 902
PCR assay, 743
Phlebotomus papatasi, 743, 902
sand fly, 283, 902
vector control, 283
visceral leishmaniasis, 283
Phlebotomus argentipes complex, 1, 16
genital variation and species isolation, 1, 16
phlebotomine sand fly, 1, 16
taxonomic reassessment, 1, 16
visceral leishmaniasis vector, 1, 16
Phlebotomus papatasi, 74, 205, 319, 664, 743, 902, 1146, 1179
baited trap, 1179
BG-Sentinel trap, 1179
biomarker, 664
blood meal analysis, 902
carbon dioxide, 1179
gene expression, 1146
Israel, 319
Leishmania donovani, 902
Leishmania major, 74
Mosquito Magnet Pro trap, 1179
novaluron, 205
PCR assay, 743
Phlebotomus argentipes, 743, 902
Phlebotomus sergenti, 319
saliva, 74, 1146
sand fly, 664, 902, 1146
sand fly control, 205
sand fly ecology, 319
senescence, 1146
sugar bait, 664
vaccine, 74
zoonotic cutaneous leishmaniasis, 74
Phlebotomus sergenti,
Israel, 319
Phlebotomus papatasi, 319
sand fly ecology, 319
Picobia,
Acari, 727
ectoparasites, 727
quill mites, 727
Syringophilidae, 727
plague,
flea control, 842
imidacloprid, 842
Rattus rattus, 842
Plasmodium vinckei petteri,
Anopheles culicifacies, 1220
prophenoloxidase, 1220
refractory, 1220
poison center,
bees, 907
colony collapse disorder, 907
Hymenoptera stings, 907
surveillance, 907
population genetics, 152, 805
16S mitochondrial rDNA, 152
Amblyomma americanum, 152
Culex pipiens, 805
Culex pipiens form molestus, 805
genetic structure, 805
microsatellites, 805
population structure,
Anopheles arabiensis, 355
Anopheles gambiae, 355
microsatellite, 355
Niger, 355
Powassan virus,
Borrelia, 89
nucleic acid extraction, 89
tick, 89
vector-borne disease, 89
predation,
Anopheles gambiae, 287
Culex quinquefasciatus, 287
PCR, 287
productivity,
Aedes aegypti, 748
emergence, 748
larvae, 748
pupae, 748
prophenoloxidase, 495, 1220
Anopheles culicifacies, 1220
double-stranded RNA interference, 495
mosquito, 495
Plasmodium vinckei petteri, 1220
refractory, 1220
ultrastructure, 495
Psychodidae,
Diptera, 299
identification keys, 299
sand fly, 299
Sergentomyia pondicherriensis, 299
Puerto Rico,
arbovirus surveillance, 1185
Culex, 1185
mosquitoes, 1185
West Nile virus, 1185
pupae,
Aedes aegypti, 748
emergence, 748
larvae, 748
productivity, 748
pyrethroid resistance, 600, 855
Cimex lectularius, 600
discriminating dose, 855
filter paper contact vial bioassay, 600
Haematobia irritans, 855
organophosphate, 855
PCR, 855
quantitative sequencing, 600
sodium channel mutation, 600
pyrethroids, 1099, 1135
Chagas disease control, 1135
excitation, 1099
mosquito behavior, 1099
Triatoma infestans, 1135
ultralow volume droplets, 1099
wind tunnel, 1099

Q

quantitative genetics,
Aedes aegypti, 111
immune response, 111
phenotypic plasticity, 111
quantitative PCR,
Borrelia hermsii, 1164
relapsing fever, 1164
ticks, 1164

quantitative sequencing,
Cimex lectularius, 600
filter paper contact vial bioassay, 600
pyrethroid resistance, 600
sodium channel mutation, 600
quantitative structure-activity relationship
Aedes aegypti, 924
carboxamides, 924
CPT, 924
repellents, 924
quill mites,
Acari, 727
ectoparasites, 727
Picobia, 727
Syringophilidae, 727

R

random sampling,
Chagas disease, 80
Ecuador, 80
sylvatic habitat, 80
triatomine ecology, 80
Rattus rattus,
flea control, 842
imidacloprid, 842
plague, 842
recombinant allergen,
cloning, 868
Der f 7, 868
Dermatophagoides farinae, 868
gene expression, 868
refractory,
Anopheles culicifacies, 1220
Plasmodium vinckei petteri, 1220
prophenoloxidase, 1220
relapsing fever,
Borrelia hermsii, 1164
quantitative PCR, 1164
ticks, 1164
remote sensing,
African animal trypanosomosis, 543
stratified sampling, 543
tsetse, 543
vector control, 543
repellent test,
20% KBR 3023 (hydroxyethyl isobutyl piperidine carboxylate), 1116
Aedes aegypti, 1116
air ventilation system, 1116
novel test cage, 1116
repellents, 699, 924
12-h duration, 699
Aedes aegypti, 924
Amblyomma americanum, 699
carboxamides, 924
CPT, 924
human volunteers, 699
quantitative structure-activity relationship, 924
residential area of Japan,
Aedes albopictus, 442
blood meal analysis, 442
Culex pipiens, 442
host-feeding habit, 442
residual fertility,
Aedes albopictus, 581
male longevity, 581
sterile insect technique, 581
residual oviposition repellency,
effervescent tablet, 329
electroantennogram, 329
fatty acid ester, 329
long range olfaction, 329
resistance, 814, 1077
Bacillus thuringiensis, 814
Cry toxins, 814
deltamethrin, 1077
fipronil, 1077
genetics, 814
Gran Chaco, 1077
mosquitoes, 814
Triatoma infestans, 1077
Rhodnius ecuadoriensis,
antennal phenotypes, 1034
Chagas disease, 1034
Ecuador, 1034
wing morphometry, 1034
rickettsia,
Indonesia, 1173
small mammals, 1173
Xenopsylla cheopis, 1173
Rickettsia, 258, 913
16S gene, 258
Amblyomma americanum, 258
Amblyomma, 913
bacterial diversity, 258
Haemaphysalis, 913
Ixodes, 913
ticks, 913
RIDL,
Aedes aegypti, 1092
contact irritancy, 1092
male behavior, 1092
spatial repellency, 1092
Rift Valley fever,
North America, 884
transmission, 884
vector, 884
rock pools,
interspecific competition, 43
Ochlerotatus atropalpus, 43
Ochlerotatus japonicus japonicus, 43
tires, 43

S

16S gene
Amblyomma americanum, 258
bacterial diversity, 258
Rickettsia, 258
16S mitochondrial rDNA,
Amblyomma americanum, 152
population genetics, 152
saliva, 74, 1146
gene expression, 1146
Leishmania major, 74
Phlebotomus papatasi, 74, 1146
sand fly, 1146
senescence, 1146
vaccine, 74
zoonotic cutaneous leishmaniasis, 74
salivary gland, 376, 421
Culex quinquefasciatus, 421
La Crosse virus, 376
microarray, 421
mosquito, 376
sialome, 376
transcriptome, 376
transcription, 421
West Nile virus, 421
sampling,
Aedes aegypti, 649
BG-Sentinel, 649
dengue, 649
sand fly, 283, 299, 664, 902, 972, 1146
biomarker, 664
blood meal analysis, 902
Diptera, 299
gene expression, 1146
identification keys, 299
Leishmania donovani, 902
leishmaniasis, 972
Minas Gerais, 972
Phlebotominae, 972
Phlebotomus argentipes, 283, 902
Phlebotomus papatasi, 664, 902, 1146
Psychodidae, 299
saliva, 1146
senescence, 1146
Sergentomyia pondicherriensis, 299
sugar bait, 664
vector control, 283
visceral leishmaniasis, 283
sand fly control,
novaluron, 205
Phlebotomus papatasi, 205
sand fly ecology,
Israel, 319
Phlebotomus papatasi, 319
Phlebotomus sergenti, 319

scabies mites,
human skin equivalents, 877
immunomodulation, 877
interleukin-1 receptor antagonist, 877
skin cell cytokine secretion, 877
scanning electron microscope,
COI, 504
eggs, 504
male genitalia, 504
white gene, 504
seasonal activity,
abundance, 30
cattle, 30
mosquitoes, 30
seasonal and diurnal activity,
distribution, 791
Stomoxys spp., 791
Thailand, 791
Vavoua traps, 791
seasonal host utilization,
bloodmeal identification, 238
Culex, 238
cytochrome B, 238
Louisiana, 238
seasonality,
California, 759
Culex pipiens, 759
Culex quinquefasciatus, 759
Culex tarsalis, 759
secondary screwworm,
forensic entomology, 917
forensic veterinary medicine, 917
myiasis, 917
semiochemicals,
bed bugs, 140
Cimex lectularius, 140
dorsal abdominal glands, 140
senescence,
gene expression, 1146
Phlebotomus papatasi, 1146
saliva, 1146
sand fly, 1146
septic tanks,
Aedes aegypti, 1231
funnel trap, 1231
Sergentomyia pondicherriensis,
Diptera, 299
identification keys, 299
Psychodidae, 299
sand fly, 299
seroprevalence,
chemotherapy evaluation, 477
oceanic climate, 477
ovine oestrosis, 477
sialome,
La Crosse virus, 376
mosquito, 376
salivary gland, 376
transcriptome, 376
Sindbis virus,
actin, 215
mosquito, 215
visceral muscle, 215
skatole,
Bacillus thuringiensis variety *israelensis*, 345
grass infusion, 345
ovitrap, 345
West Nile virus, 345
skin,
bot fly, 95
Dermatobia hominis, 95
implantation, 95
larva, 95
skin cell cytokine secretion,
human skin equivalents, 877
immunomodulation, 877
interleukin-1 receptor antagonist, 877
scabies mites, 877
small mammals,
Indonesia, 1173
rickettsia, 1173
Xenopsylla cheopis, 1173
sodium channel mutation,
Cimex lectularius, 600
filter paper contact vial bioassay, 600
pyrethroid resistance, 600
quantitative sequencing, 600
Solomon Islands,
Anopheles farauti, 851
mosquito repellent, 851
N,N-diethyl-3-methylbenzamide, 851
source identification,
Aedes aegypti, 957
historical review, 957
laboratory strain, 957
spatial analysis,
Borrelia burgdorferi, 458
forest, 458
Ixodes scapularis, 458
water surface, 458
spatial repellency,
Aedes aegypti, 1092
contact irritancy, 1092
male behavior, 1092
RIDL, 1092
spray formulation,
botanical pediculicide, 392
Eucalyptus globulus, 392
Eugenia caryophyllata, 392
Pediculus humanus capitis, 392
statistical power,
Aedes aegypti, 199
biting pressure, 199
mosquito bioassays, 199
variance components, 199
sterile insect technique, 581, 1082
Aedes albopictus, 581
dispersal and survival, 1082
fluorescent pigment, 1082
male longevity, 581
mark-release-recapture, 1082
residual fertility, 581
Wolbachia, 1082
sterol carrier protein-2,
detoxification enzymes, 249
larvicide, 249
mangostin, 249
mosquitoes, 249
Stomoxys calcitrans,
binary mixtures, 575
essential oil, 575
natural insect repellent, 575
tamanu oil, 575
Stomoxys,
detection, 1205
pelicans, 1205
West Nile virus, 1205
Stomoxys spp.,
distribution, 791
seasonal and diurnal activity, 791
Thailand, 791
Vavoua traps, 791
stormwater,
belowground, 67
best management practice, 67
Culex quinquefasciatus, 67
ovitrap, 67
stratified sampling,
African animal trypanosomosis, 543
remote sensing, 543
tsetse, 543
vector control, 543
sublethal dose,
Culex quinquefasciatus, 996
emergence inhibition, 996
IGRs, 996
life table attributes, 996
sugar bait,
biomarker, 664
Phlebotomus papatasi, 664
sand fly, 664
suppression subtractive hybridization,
Culex quinquefasciatus, 1053
gene transcription, 1053
magnesium, 1053
surveillance, 106, 657, 907
Aedes aegypti, 657
bees, 907
BG-Sentinel, 657
bluetongue, 106
colony collapse disorder, 907
Culicoides, 106
dengue, 657

host preference, 106
Hymenoptera stings, 907
poison center, 907
vectors, 106
surveillance trapping,
Aedes albopictus, 592
biosecurity response, 592
control, 592
modeling, 592
survival, 769, 987
Anopheles gambiae, 769
body size, 769
Cimex hemipterus, 987
cost of reproduction, 769
humidity, 987
mating, 769
temperature, 987
water loss, 987
swallow bug,
cliff swallow, 897
Oeciacus vicarius, 897
Petrochelidon pyrrhonota, 897
West Nile virus, 897
Switzerland,
climate change, 1196
Ixodes ricinus, 1196
Lyme disease, 1196
tick survival, 1196
sylvatic habitat,
Chagas disease, 80
Ecuador, 80
random sampling, 80
triatomine ecology, 80
synthetic lures,
Anopheles gambiae, 274
malaria, 274
odor dispensing methods, 274
trapping methods, 274
synthetic pyrethroids,
Aedes aegypti, 833
behavioral responses, 833
DDT, 833
HITSS, 833
Syringophilidae,
Acari, 727
ectoparasites, 727
Picobia, 727
quill mites, 727

T

tamanu oil,
binary mixtures, 575
essential oil, 575
natural insect repellent, 575
Stomoxys calcitrans, 575
taxonomic reassessment, 1, 16
genital variation and species isolation, 1, 16
phlebotomine sand fly, 1, 16
Phlebotomus argentipes complex, 1, 16
visceral leishmaniasis vector, 1, 16
taxonomic richness,
community structure, 129
conservation, 129
Culicidae, 129
mosquito control, 129
temperature,
Cimex hemipterus, 987
humidity, 987
survival, 987
water loss, 987
Tennessee,
ixodid ticks, 415
vector–host associations, 415
testosterone,
Dumetella carolinensis, 451
migration, 451
overwintering, 451
West Nile virus, 451
Thailand,
distribution, 791
seasonal and diurnal activity, 791
Stomoxys spp., 791
Vavoua traps, 791
theta class,
Anopheles cracens, 162
DDT dehydrochlorinase, 162
epsilon class, 162
omega class, 162
thrombostasin,
blood feeding, 610
cattle, 610
horn fly, 610
vaccine, 610
thymoquinone,
carvacrol, 1123
mode of action, 1123
mosquitoes, 1123
nookatone, 1123
Tick, 89, 913, 1164, 1243
Amblyomma, 913
Borrelia, 89
Borrelia hermsii, 1164
Brazil, 1243
Haemaphysalis, 913
Ixodes, 913
Ixodidae, 1243
nucleic acid extraction, 89
Powassan virus, 89
quantitative PCR, 1164
relapsing fever, 1164
Rickettsia, 913
vector-borne disease, 89
wildlife, 1243
tick acquisition,
bird hosts, 1019
Ixodes scapularis, 1019
tick control, 862, 1107
biological control, 862, 1107
entomopathogen, 862, 1107
fungi, 862, 1107
Ixodes scapularis, 862, 1107
tick distribution,
Amblyomma maculatum, 536
Arizona, 536
biogeography, 536
tick paralysis,
cattle, 208
heritability, 208
virulence, 208
tick survival,
climate change, 1196
Ixodes ricinus, 1196
Lyme disease, 1196
Switzerland, 1196
tick-borne agents,
Amblyomma americanum, 473
MS, 473
tires,
interspecific competition, 43
Ochlerotatus atropalpus, 43
Ochlerotatus japonicus japonicus, 43
rock pools, 43
transcription,
Culex quinquefasciatus, 421
microarray, 421
salivary glands, 421
West Nile virus, 421
transcriptome,
La Crosse virus, 376
mosquito, 376
salivary gland, 376
sialome, 376
transinfection,
Aedes albopictus, 179
cytoplasmic incompatibility, 179
genetic control, 179
Wolbachia pipientis, 179
transmission, 639, 788, 884
Culex, 788
detection, 639
Francisella, 639
infection, 788
mosquito, 639
North America, 884
Rift Valley fever, 884
vector, 884
West Nile virus, 788
trapping methods,
Anopheles gambiae, 274
malaria, 274
odor dispensing methods, 274
synthetic lures, 274
Triatoma infestans, 1077, 1135
Chagas disease control, 1135
deltamethrin, 1077
fipronil, 1077

Gran Chaco, 1077
pyrethroids, 1135
resistance, 1077
triatomine ecology,
Chagas disease, 80
Ecuador, 80
random sampling, 80
sylvatic habitat, 80
tribe Volucellini,
flower fly, 690
forensic entomology, 690
vertebrate carcass, 690
tropical bed bug,
active movement, 305
Cimex hemipterus, 305
movement distance, 305
movement frequency, 305
tsetse,
African animal trypanosomosis, 543
remote sensing, 543
stratified sampling, 543
vector control, 543

U

ultralow volume droplets,
excitation, 1099
mosquito behavior, 1099
pyrethroids, 1099
wind tunnel, 1099
ultrastructure,
double-stranded RNA interference, 495
mosquito, 495
prophenoloxidase, 495

V

vaccine, 74, 610
blood feeding, 610
cattle, 610
horn fly, 610
Leishmania major, 74
Phlebotomus papatasi, 74
saliva, 74
thrombostasin, 610
zoonotic cutaneous leishmaniasis, 74
variance components,
Aedes aegypti, 199
biting pressure, 199
mosquito bioassays, 199
statistical power, 199
Vavoua traps,
distribution, 791
seasonal and diurnal activity, 791
Stomoxys spp., 791
Thailand, 791
vector, 106, 707, 884
Amblyomma maculatum, 707
bluetongue, 106
Culicoides, 106
ecology, 707
host preference, 106
North America, 884
Rift Valley fever, 884
surveillance, 106
transmission, 884
zoogeography, 707
vector control, 283, 543
African animal trypanosomosis, 543
Phlebotomus argentipes, 283
remote sensing, 543
sand fly, 283
stratified sampling, 543
tsetse, 543
visceral leishmaniasis, 283
vector ecology, 121, 313
Amazonia, 121
Anophelinae, 121
bluetongue, 313
BTV, 313
Culicidae, 121
Culicoides obsoletus, 313
Italy, 313
vector-borne disease,
Borrelia, 89
nucleic acid extraction, 89
Powassan virus, 89
tick, 89
vector–host associations,
ixodid ticks, 415
Tennessee, 415
vector–host associations, 415
Venezuela,
forensic entomology, 723
instars, 723
Oxelytrum discicolle, 723
vertebrate carcass,
flower fly, 690
forensic entomology, 690
tribe Volucellini, 690
virulence,
cattle, 208
heritability, 208
tick paralysis, 208
virus accumulation and dispersal,
Aedes aegypti, 387
Aedes densonucleosis virus, 387
biological control, 387
female oviposition behavior, 387
visceral leishmaniasis,
Phlebotomus argentipes, 283
sand fly, 283
vector control, 283
visceral leishmaniasis vector, 1, 16
genital variation and species isolation, 1, 16
phlebotomine sand fly, 1, 16
Phlebotomus argentipes complex, 1, 16
taxonomic reassessment, 1, 16
visceral muscle,
actin, 215
mosquito, 215
Sindbis virus, 215
vitellogenesis,
Calliphoridae, 482
forensic entomology, 482

W

water deer,
Hippoboscidae, 1227
Korea, 1227
Lipoptena cervi, 1227
louse fly, 1227
water loss,
Cimex hemipterus, 987
humidity, 987
survival, 987
temperature, 987
water surface,
Borrelia burgdorferi, 458
forest, 458
Ixodes scapularis, 458
spatial analysis, 458
West Nile virus, 345, 421, 451, 788, 897, 1185, 1205
arbovirus surveillance, 1185
Bacillus thuringiensis variety *israelensis*, 345
cliff swallow, 897
Culex quinquefasciatus, 421
Culex, 788, 1185
detection, 1205
Dumetella carolinensis, 451
grass infusion, 345
infection, 788
microarray, 421
migration, 451
mosquitoes, 1185
Oeciacus vicarius, 897
overwintering, 451
ovitrap, 345
pelicans, 1205
Petrochelidon pyrrhonota, 897
Puerto Rico, 1185
salivary glands, 421
skatole, 345
Stomoxys, 1205
swallow bug, 897
testosterone, 451
transcription, 421
transmission, 788
West Nile virus disease,
Colorado, 939
Culex, 939
irrigated agriculture, 939
mosquito larval habitat, 939
white gene,
COI, 504
eggs, 504

male genitalia, 504
scanning electron microscope, 504
wild turkey,
Amblyomma americanum, 1238
Borrelia miyamotoi, 1238
lone star tick, 1238
wildlife,
Brazil, 1243
Ixodidae, 1243
ticks, 1243
wind tunnel,
excitation, 1099
mosquito behavior, 1099
pyrethroids, 1099
ultralow volume droplets, 1099
wing morphometry,
antennal phenotypes, 1034
Chagas disease, 1034
Ecuador, 1034
Rhodnius ecuadoriensis, 1034
Wolbachia pipientis,
Aedes albopictus, 179
cytoplasmic incompatibility, 179
genetic control, 179
transinfection, 179
Wolbachia,
dispersal and survival, 1082
fluorescent pigment, 1082
mark-release-recapture, 1082
sterile insect technique, 1082

X

Xenopsylla cheopis,
Indonesia, 1173
rickettsia, 1173
small mammals, 1173

Z

zoogeography,
Amblyomma maculatum, 707
ecology, 707
vector, 707
zoonotic cutaneous leishmaniasis,
Leishmania major, 74
Phlebotomus papatasi, 74
saliva, 74
vaccine, 74